

## Drive Reman

## When E-Bikes become Re-Bikes.

## **Brose Drive Remanufactured**

- Sustainable riding with min. 21 kg CO<sub>2</sub>-eq saving
- Lower-cost riding with refurbished components
- Safe riding with the same Brose quality standards



Product name	Brose Drive Remanufactured		
Part number		Each remanufactured drive variant has its own material number	
Weight	2.9 kg		
Dimensions L/H/W (mm)	horizontal	204 x 115 x 99 (housing) 150 mm axle width	
	vertical	198 x 137 x 99 (housing) 150 mm axle width	
Rated voltage	36 V		
Continuous rated power	250 W		

Torque	50 – 90 Nm, depending on drive variants	
Maximum assistance	280 – 410 %, depending on drive variants	
Assistance up to	25 km/h	
Walk assist up to	6 km/h	
Light source	Front light 2 A x 12 V = 24 W* Rear light 2 A x 12 V = 24 W* *depending on overall system	
Ingress protection (sealing)	IP56	
Start of Production	Q2 2023	
Available for the following drive variants	$\begin{array}{c} S_{\text{Mag}}  \text{V/S}_{\text{Mag}}  \text{H/C}_{\text{Mag}}  \text{H/T}_{\text{Mag}}  \text{V/} \\ T_{\text{Mag}}  \text{H} \\ S_{\text{Alu}}  /  T_{\text{Alu}}  /  C_{\text{Alu}} \end{array}$	

 $\label{eq:Disclaimer:Details may still be optimized, therefore these are preliminary figures. \\$