

Brose Display Allround



+ The stylish all-in-one solution

The name says it all – the elegant Brose Display Allround is a stylish all-in-one solution for any bike. The six buttons are embossed for a sure feel and ergonomically placed to allow quick and easy access to all features. All functions are displayed on a 1.5-inch convex colour screen. The values that are shown can be individually selected for maximum convenience.

The Brose Display Allround features a backlight function for optimum readability in both darkness and direct sunlight. The screen brightness can be adjusted either manually or in automatic mode. The convex screen can be mounted to the handlebar on either the left or right and hugs it beautifully. Tipping the scales at just 50 grams, the Brose Display Allround weighs no more than a smartwatch. It has a direct connection to the digital Brose Service Tool, enabling quick and easy diagnosis and maintenance by certified dealers.

Product name	Brose Display Allround
Part number	E41230
Display	1,5" TFT colour display (240 x 240 px)
Dimensions L/H/W (mm)	44 x 37 x 50
Diameter handlebar	22.2 mm
Weight	50 g
Electrical data	12 V / max. 3 W
Operating and storage temperature	-10 °C bis +60 °C
Protection class	IPX7 (HMI) waterproof

CAN Interface ISO 11898	Highspeed-CAN
Certification	CE / ROHS / Reach / Bluetooth Countries: Canada, EU, Japan, Switzerland, USA
Bluetooth	5.0 (optional ANT+)
Operation buttons	On/Off / Assist level (+/-) Walk assist / Menu / Light On/Off
Position on handlebar	Left side (preferred) / Right side (optional)
Displayed information	Battery charge level / Assistance level Speed / Trip information / Kilometre counter Range / Walk assist / Light on/automatic Error information / Service information / Time
Additional functions	Light sensor / Walk assist Light switch / Bluetooth

Brose Display Remote



+ Ideal for purists

For e-bikers looking for minimalist flair with all the functionality, the slimline Brose Display Remote, which hugs the handlebar, is just the job. An LED strip display in a slender but rugged casing indicates battery charge, assist level, walk assist and error information.

All important functions such as the assist level, light and walk assist are stored in six easy-to-feel buttons. The smallest Brose Display can be flexibly mounted to the handlebar on either the left or right and hugs it beautifully. This display is especially suited to riders who take a less-is-more approach to how their bike should look. It has a direct connection to the digital Brose Service Tool, enabling quick and easy diagnosis and maintenance by certified dealers.

Product name	Brose Display Remote
Part number	E41227
Display	LED / Optional connection to Brose Display Central
Dimensions L/H/W (mm)	46 × 43 × 21
Diameter handlebar	22.2 mm
Weight	35 g
Electrical data	12 V / max. 3 W
Operating and storage temperature	-10 °C bis +60 °C
Protection class	IPX7 (HMI) waterproof

CAN Interface ISO 11898	Highspeed-CAN
Certification	CE / ROHS / Reach / Bluetooth Countries: Canada, EU, Japan, Switzerland, USA
Bluetooth	5.0 (optional ANT+)
Operation buttons	On/Off / Assist level (+/-) Walk assist / Menu / Light On/Off
Position on handlebar	For mounting right and left
Displayed information	Battery charge level / Assistance level Walk assist / Light on/automatic Error information
Additional functions	Light sensor / Walk assist Light switch / Bluetooth

Brose Display Central



+ For a full overview

The screen-only Brose Display Central takes readability to the max under any conditions. Its 3.5-inch, high-definition colour screen lets cyclists take in all the stats at a glance. The Brose Display Central features a backlight function for optimum readability in both darkness and direct sunlight. The screen brightness can be adjusted either manually or in automatic mode.

Thanks to the central position on the handlebar, the e-biker always has a perfect view of the personalised values on the display. The Brose Display Central is ergonomically controlled via the Brose Remote, whose LEDs are switched off in this combination to prevent redundant information. It has a direct connection to the digital Brose Service Tool, enabling quick and easy diagnosis and maintenance by certified dealers.

Product name	Brose Display Central
Part number	E41229
Display	3,5" colour display (320 x 240 px)
Dimensions L/H/W (mm)	84 x 70 x 13
Diameter handlebar	31.8 mm
Weight	70 g
Electrical data	12 V / max. 3 W
Operating and storage temperature	-10 °C bis +60 °C
Protection class	IPX7 (HMI) waterproof

CAN Interface ISO 11898	Highspeed-CAN
Certification	CE / ROHS / Reach / Bluetooth Countries: Canada, EU, Japan, Switzerland, USA
Bluetooth	Via Remote
Operation buttons	On/Off / Assist level (+/-) Walk assist / Menu / Light On/Off
Position on handlebar	For mounting centrally
Displayed information	Battery charge level / Assistance level Speed / Trip information / Kilometre counter Range / Walk assist / Light on/automatic Error information / Service information / Time
Additional functions	Bluetooth (via Remote)